

# SOLARIS RESOURCES

## Warintza Drilling Results

Summarized drilling results are listed in Tables 1 and 2. A 3D model incorporating all Warintza drilling completed to date is available on the homepage of the Company's website.

**Table 1 – Assay Results**

| Hole ID   | Date Reported  | From (m) | To (m) | Interval (m) | Cu (%) | Mo (%) | Au (g/t) | CuEq <sup>1</sup> (%) |
|-----------|----------------|----------|--------|--------------|--------|--------|----------|-----------------------|
| SLSE-01   | July 20, 2021  | 0        | 320    | 320          | 0.36   | 0.02   | 0.05     | 0.46                  |
| Including |                | 0        | 54     | 54           | 0.49   | 0.01   | 0.05     | 0.56                  |
| Including |                | 162      | 216    | 54           | 0.60   | 0.02   | 0.04     | 0.70                  |
| SLS-26    | July 7, 2021   | 2        | 1002   | 1000         | 0.51   | 0.02   | 0.04     | 0.60                  |
| Including |                | 46       | 832    | 786          | 0.57   | 0.02   | 0.04     | 0.67                  |
| SLS-25    |                | 62       | 444    | 382          | 0.62   | 0.03   | 0.08     | 0.77                  |
| Including |                | 62       | 292    | 230          | 0.87   | 0.04   | 0.10     | 1.06                  |
| SLS-24    |                | 10       | 962    | 952          | 0.53   | 0.02   | 0.04     | 0.62                  |
| Including |                | 10       | 512    | 502          | 0.57   | 0.02   | 0.05     | 0.67                  |
| SLS-19    |                | 6        | 420    | 414          | 0.21   | 0.01   | 0.06     | 0.31                  |
| SLS-23    | May 26, 2021   | 10       | 558    | 548          | 0.31   | 0.02   | 0.06     | 0.42                  |
| Including |                | 10       | 362    | 352          | 0.34   | 0.02   | 0.06     | 0.46                  |
| SLS-22    |                | 86       | 324    | 238          | 0.52   | 0.03   | 0.06     | 0.68                  |
| Including |                | 86       | 186    | 100          | 0.61   | 0.04   | 0.06     | 0.77                  |
| SLS-21    |                | 2        | 1031   | 1029         | 0.63   | 0.02   | 0.04     | 0.73                  |
| Including | 2              | 422      | 420    | 0.72         | 0.02   | 0.05   | 0.83     |                       |
| SLS-20    | April 19, 2021 | 18       | 706    | 688          | 0.35   | 0.04   | 0.05     | 0.51                  |
| Including |                | 18       | 384    | 366          | 0.44   | 0.04   | 0.04     | 0.60                  |
| SLS-18    |                | 78       | 875    | 797          | 0.62   | 0.05   | 0.06     | 0.83                  |
| Including |                | 80       | 450    | 370          | 0.71   | 0.05   | 0.07     | 0.94                  |
| SLS-17    |                | 12       | 506    | 494          | 0.39   | 0.02   | 0.06     | 0.50                  |
| SLS-16    | Mar 22, 2021   | 20       | 978    | 958          | 0.63   | 0.03   | 0.06     | 0.77                  |
| Including |                | 358      | 844    | 486          | 0.70   | 0.03   | 0.07     | 0.84                  |
| SLS-15    |                | 2        | 1231   | 1229         | 0.48   | 0.01   | 0.04     | 0.56                  |
| Including |                | 2        | 1004   | 1002         | 0.52   | 0.01   | 0.04     | 0.60                  |
| Including |                | 2        | 696    | 694          | 0.57   | 0.02   | 0.05     | 0.67                  |
| SLS-14    |                | 0        | 922    | 922          | 0.79   | 0.03   | 0.08     | 0.94                  |
| Including |                | 34       | 884    | 850          | 0.82   | 0.03   | 0.08     | 0.98                  |
| Including |                | 52       | 836    | 784          | 0.84   | 0.03   | 0.09     | 1.00                  |

(1) No adjustments were made for recovery as the project is an early-stage exploration project and metallurgical data to allow for estimation of recoveries is not yet available. Solaris defines copper equivalent calculation for reporting purposes only. Copper-equivalence calculated as: CuEq (%) = Cu (%) + 3.33 × Mo (%) + 0.73 × Au (g/t), utilizing metal prices of Cu - US\$3.00/lb, Mo - US\$10.00/lb and Au - US\$1,500/oz.

# SOLARIS RESOURCES

|           |              |     |      |      |      |      |      |      |
|-----------|--------------|-----|------|------|------|------|------|------|
| SLS-13    | Feb 22, 2021 | 6   | 468  | 462  | 0.80 | 0.04 | 0.09 | 1.00 |
| SLS-12    |              | 22  | 758  | 736  | 0.59 | 0.03 | 0.07 | 0.74 |
| SLS-11    |              | 6   | 694  | 688  | 0.39 | 0.04 | 0.05 | 0.57 |
| SLS-10    |              | 2   | 602  | 600  | 0.83 | 0.02 | 0.12 | 1.00 |
| Including |              | 56  | 602  | 546  | 0.88 | 0.03 | 0.12 | 1.06 |
| SLS-09    |              | 122 | 220  | 98   | 0.60 | 0.02 | 0.04 | 0.71 |
| Including |              | 122 | 168  | 46   | 0.96 | 0.03 | 0.05 | 1.09 |
| SLSW-01   | Feb 16, 2021 | 32  | 830  | 798  | 0.25 | 0.02 | 0.02 | 0.31 |
| Including |              | 32  | 292  | 260  | 0.35 | 0.01 | 0.02 | 0.42 |
| SLS-08    | Jan 14, 2021 | 134 | 588  | 454  | 0.51 | 0.03 | 0.03 | 0.62 |
| Including |              | 134 | 274  | 140  | 0.90 | 0.03 | 0.05 | 1.05 |
| SLS-07    |              | 0   | 1067 | 1067 | 0.49 | 0.02 | 0.04 | 0.60 |
| Including |              | 2   | 702  | 700  | 0.58 | 0.03 | 0.04 | 0.70 |
| SLS-06    | Nov 23, 2020 | 8   | 892  | 884  | 0.50 | 0.03 | 0.04 | 0.62 |
| SLS-05    |              | 18  | 936  | 918  | 0.43 | 0.01 | 0.04 | 0.50 |
| Including |              | 18  | 324  | 306  | 0.52 | 0.02 | 0.04 | 0.62 |
| SLS-04    |              | 0   | 1004 | 1004 | 0.59 | 0.03 | 0.05 | 0.71 |
| Including |              | 0   | 824  | 824  | 0.64 | 0.03 | 0.05 | 0.77 |
| SLS-03    | Sep 28, 2020 | 4   | 1014 | 1010 | 0.59 | 0.02 | 0.10 | 0.71 |
| Including |              | 4   | 892  | 888  | 0.61 | 0.02 | 0.10 | 0.73 |
| Including |              | 176 | 892  | 716  | 0.63 | 0.02 | 0.10 | 0.75 |
| SLS-02    |              | 0   | 660  | 660  | 0.79 | 0.03 | 0.10 | 0.97 |
| Including |              | 48  | 656  | 608  | 0.79 | 0.03 | 0.10 | 0.97 |
| SLS-01    | Aug 10, 2020 | 1   | 568  | 567  | 0.80 | 0.04 | 0.10 | 1.00 |
| Including |              | 48  | 492  | 446  | 0.88 | 0.04 | 0.10 | 1.09 |

Notes to table: Grades are uncut and true widths have not been determined.

Table 2 – Collar Locations

| Hole ID | Easting | Northing | Elevation (m) | Depth (m) | Azimuth (degrees) | Dip (degrees) |
|---------|---------|----------|---------------|-----------|-------------------|---------------|
| SLSE-01 | 801485  | 9648192  | 1170          | 1212      | 260               | -45           |
| SLS-26  | 800191  | 9648059  | 1580          | 1032      | 70                | -60           |
| SLS-25  | 799676  | 9648117  | 1443          | 513       | 220               | -70           |
| SLS-24  | 800124  | 9648035  | 1580          | 962       | 90                | -75           |
| SLS-23  | 799765  | 9648033  | 1571          | 570       | 270               | -60           |
| SLS-22  | 799676  | 9648117  | 1443          | 562       | 270               | -60           |
| SLS-21  | 800191  | 9648059  | 1580          | 1031      | 70                | -70           |
| SLS-20  | 800124  | 9648035  | 1580          | 816       | 0                 | -75           |

(1) No adjustments were made for recovery as the project is an early-stage exploration project and metallurgical data to allow for estimation of recoveries is not yet available. Solaris defines copper equivalent calculation for reporting purposes only. Copper-equivalence calculated as: CuEq (%) = Cu (%) + 3.33 × Mo (%) + 0.73 × Au (g/t), utilizing metal prices of Cu - US\$3.00/lb, Mo - US\$10.00/lb and Au - US\$1,500/oz.

# SOLARIS RESOURCES

|   |        |         |      |      |     |     |
|---|--------|---------|------|------|-----|-----|
| SLS-19  | 799667 | 9648029 | 1449 | 588  | 235 | -80 |
| SLS-18  | 799676 | 9648117 | 1443 | 875  | 100 | -70 |
| SLS-17  | 799765 | 9648033 | 1571 | 788  | 180 | -80 |
| SLS-16  | 800124 | 9648035 | 1580 | 1033 | 272 | -77 |
| SLS-15  | 800191 | 9648059 | 1580 | 1231 | 222 | -80 |
| SLS-14  | 799765 | 9648033 | 1571 | 1020 | 85  | -80 |
| SLS-13  | 799667 | 9648029 | 1499 | 468  | 0   | -80 |
| SLS-12  | 800124 | 9648035 | 1568 | 782  | 265 | -62 |
| SLS-11  | 800191 | 9648059 | 1570 | 860  | 280 | -65 |
| SLS-10  | 799765 | 9648033 | 1571 | 690  | 293 | -77 |
| SLS-09  | 800266 | 9648209 | 1493 | 500  | 0   | -89 |
| SLSW-01   | 798507 | 9648465 | 1519 | 993  | 320 | -66 |
| SLS-08  | 800253 | 9648105 | 1576 | 824  | 14  | -80 |
| SLS-07  | 800191 | 9648065 | 1580 | 1067 | 52  | -80 |
| SLS-06  | 800124 | 9648035 | 1580 | 1069 | 45  | -79 |
| SLS-05  | 800124 | 9648035 | 1580 | 1063 | 265 | -81 |
| SLS-04  | 800191 | 9648059 | 1580 | 1150 | 0   | -88 |
| SLS-03  | 800191 | 9648059 | 1570 | 1090 | 289 | -79 |
| SLS-02  | 799765 | 9648033 | 1571 | 744  | 0   | -90 |
| SLS-01  | 799765 | 9648033 | 1571 | 805  | 351 | -80 |
| Notes to table: The coordinates are in WGS84 17S Datum. |        |         |      |      |     |     |

(1) No adjustments were made for recovery as the project is an early-stage exploration project and metallurgical data to allow for estimation of recoveries is not yet available. Solaris defines copper equivalent calculation for reporting purposes only. Copper-equivalence calculated as:  $CuEq (\%) = Cu (\%) + 3.33 \times Mo (\%) + 0.73 \times Au (g/t)$ , utilizing metal prices of Cu - US\$3.00/lb, Mo - US\$10.00/lb and Au - US\$1,500/oz.